



Value Code 44

COMPUTER BASED TRAINING

Objectives

- **Know when to use Value code 44**
- **Know which MSP value codes to report**
- **Understand use of Condition Code 77**
- **Available resources**

When do you use Value Code 44?

- **Contractual agreement with insurance company**
- **Primary pays less than charges and less than contractual obligation**
 - Report appropriate value code to show actual payment
 - Value code 44 must always be higher than value code 12, 13 or 43

Appropriate MSP Value Codes

- **Value Code 12**
 - Working Aged (EGHP)
- **Value Code 13**
 - End Stage Renal Disease (ESRD)
- **Value Code 43**
 - Disabled (LGHP)

Claim Example

Reporting Value Code 44

Contractual Amount Not Received

SC

UB92 CLAIM ENTRY

SV:

HIC 999999999A TOB 111 S/LOC S B0100 OSCAR 999999 UB-FORM
 NPI 1234567890 TRANS HOSP PROV PROCESS NEW HIC

PAT.CNTL#: 888888888M TAX#/SUB: TAXO.CD:
 STMT DATES FROM 010107 TO 013107 DAYS COV 030 N-C CO LTR
 LAST SMITH FIRST JOAN MI DOB 08211908
 ADDR 1 PO BOX 1602 2 OMAHA NE
 3 4
 5 6

ZIP 68101 SEX M MS ADMIT DATE 010107 HR TYPE 3 SRC 1 D HM STAT 01
 COND CODES 01 02 03 04 05 06 07 08 09 10
 OCC CDS/DATE 01 01 010107 02 03 04 05
 06 07 08 09 10
 SPAN CODES/DATES 01 02 03
 04 05 06 07
 08 09 10 FAC.ZIP 99999 9999

DCN

	VALUE	CODES	AMOUNTS	ANSI	MSP APP IND
01 12	600.00	02 44	800.00	03	
04		05		06	
07		08		09	

PROCESS COMPLETED --- PLEASE CONTINUE

PRESS PF3-EXIT PF5-SCROLL BKWD PF6-SCROLL FWD PF8-NEXT PF9-UPDT

Coding When Primary Payment is Accepted as Full Payment

- **Use Condition Code 77**
 - Primary payment accepted as full payment
- **MSP Value Codes 12-16 or 41-43**
 - Required on the claim
- **Submit no-payment Bill**
 - No Medicare payment is due

Claim Example - Primary Payment Accepted as Full Payment

Primary Payment Accepted as Full Payment

SC UB92 CLAIM ENTRY SV:
 HIC 999999999A TOB 111 S/LOC S B0100 OSCAR 999999 UB-FORM
 NPI 1234567890 TRANS HOSP PROV PROCESS NEW HIC
 PAT.CNTL#: 888888888M TAX#/SUB: TAXO.CD:
 STMT DATES FROM 010107 TO 013107 DAYS COV 030 N-C CO LTR
 LAST SMITH FIRST JOAN MI DOB 08211908
 ADDR 1 PO BOX 1602 2 OMAHA NE
 3 4
 5 6
 ZIP 68101 SEX M MS ADMIT DATE 010107 HR TYPE 3 SRC 1 D HM STAT 01
 COND CODES 01 02 03 04 05 06 07 08 09 10
 OCC CDS/DATE 01 01 010107 02 03 04 05
 06 07 08 09 10
 SPAN CODES/DATES 01 02 03
 04 05 06 07
 08 09 10 FAC.ZIP 99999 9999
 DCN
 VALUE CODES - AMOUNTS - ANS I MSP APP IND
 01 12 2400.00 02 03
 04 05 06
 07 08 09
 PROCESS COMPLETED --- PLEASE CONTINUE
 PRESS PF3-EXIT PF5-SCROLL BKWD PF6-SCROLL FWD PF8-NEXT PF9-UPDT

Resources

- **Medicare Secondary Payer Manual (100-5)**
 - Chapter 1 - Sections 10.7 - 10.8
- **Medicare Claims Processing Manual (100-4)**
 - Chapter 25



This presentation is intended to be used for educational purposes only.

Medicare regulations and guidelines are to be used as the final authority.

**Thank you, you have completed
the CBT.**

**Would you like to take a 10 question
knowledge check?**

Yes, let's get started.


No, please take me back to
WPS Medicare's Provider
Homepage.

Value code 44 should only be used on claims where there is a contractual agreement with an insurance company.

True

False

**That is not correct, please try
again.**



**True, Value Code 44 is used
with the amount the provider
was obligated to accept.**

Value code 44 is used to report the actual amount received from the primary insurance company.

True

False

False, Value code 44 is used to report the amount the provider is obligated to accept.

MSP value codes should be reported with the value code 44.

True

False

True, The appropriate MSP value code should be used with the amount actually received from the insurance company.

Value Code 12 is used for an individual who is 65 years of age and enrolled in an EGHP.

True

False

**True, Value code 12 is used
for working aged individuals
65 years of age with a EGHP.**

Value Code 44 is used to report
the contractual write-off
amounts.

True

False

**False, Value code 44 should not
be used to report the amount of
the contractual write-off.**

MSP value codes are not
required on MSP claims

True

False

**False, MSP value codes must be
reported on claims in
conjunction with the value code
44**

Value code 44 and the appropriate MSP value code are required on MSP claims

True

False

True, Both value code 44 and the appropriate MSP value code must be reported on the claim.

The amount reported with value code 44 is sometimes less than the MSP value code

True

False

False, The amount reported with value code 44 is always larger than the amount reported with the MSP value code.

Condition code 77 should be used in situations where the obligated amount is paid by the primary insurance.

True

False

True, that is correct.

For Medicare claims, a no-pay bill using condition code 77 is not submitted.

True

False

False, A No-pay bill is required for Medicare claims with condition code 77.

Thank you, you have completed the Knowledge Check.

Would you like to take another CBT?

Yes, let's get started.

No, please take me back to
WPS Medicare's Provider
Homepage.